

**TECHNICAL PLASTIC AND METAL PARTS** 

						Ρ	aperclip 044	
Code	Description	Price euro/1000	% Price Change 1 2	Package	A I	3 C	DE F g	r
044 0003 087 01	MP 44- 3 BLU	157,00	+ 60% -	50	52 3	2 25	F1	

Colour	Colour num							
blue	087 (XXX XXX XXX XXX XX)							
Colour description blue								
Matches blue Featured colours reserved. Due to the		ably matches RAL colour 5017						
	screen, unerence							
Material		Material nr						
Nylon - 6 PA - 6		01 (XXX XXXX XXX <b>XX</b> )						
A strong, tough and durable material. lubricant properties ideal for slide bea Always has to acclimatize for a few da	rings. Takes in app	prox 3% moisture at room temperatu mperature up to approx 120°C. Nylo	re and is then at its strongest.					
Features		Chimical resistance						
feature	DIN	Resistance to	Valutation					
Relative density gr/cm <sup>3</sup>	1,14	Petrol	А					
Tensile strength MN/m <sup>2</sup>	55	Benzene	A					
Elongation at break %	250	Mineral oils	A					
Tensile modulus MN/m <sup>2</sup>	950	Vegetable oils	A					
Notched impact strength kJ/m <sup>2</sup>	35	Weak alkalis	A					
Ball indentation MN/m <sup>2</sup>	82	Strong alkalis	В					
Application temperature max °C	120	Weak acids	В					
Volume resistivity cm	10^15	Strong acids	С					
Dissapation factor tan. 10 <sup>3</sup> Hz	0,2	A = good						
	35	$\mathbf{B} = doubtful$						
Dielectric strength MV/m								
	V2	<b>C</b> = poor						
Dielectric strength MV/m Flammability UL94 > 1,6 mm Coefficient of friction (on steel)	V2 0,3	C = poor						

Technical informations are indicative and can be updated.

Copyright Gandini Fasteners S.r.I. All rights reserved. No part of this web site may be reproduced in any form without express permission.

GANDINI FASTENERS SRL viale Pier Paolo Pasolini, 83 - 20099 Sesto S.Giovanni Milano Italy Tel. +39 02 241 047 250 Fax +39 02 241 047 74

Production and distribution of fasteners, fixing elements and mechanical parts machining

**GANDINI FASTENERS SRL** Sesto San Giovanni Mi - Italy **Sales department** 250@gandini.it tel +39 02 241 047 250

Administration 350@gandini.it tel +39 02 241 047 350